



Morris-Union Jointure Commission Board of Education

Janet L. Fike, Ed.D., J.D.
Superintendent

Denise A. Smallacomb
Assistant Superintendent

Michael Davison
School Business Administrator/Board Secretary

January 27, 2017

340 Central Avenue
New Providence, NJ 07974

Telephone: (908) 464-7625

Fax: (908) 464-1244

Business Office Fax: (908) 464-5240

Website Address: www.mujs.org

Dear **MORRIS-UNION JOINTURE COMMISSION** Community,

Our school system is committed to protecting student, teacher, and staff health. To protect our community and be in compliance with the Department of Education regulations, **MORRIS-UNION JOINTURE COMMISSION** tested our schools' drinking water for lead.

In accordance with the Department of Education regulations, **MORRIS-UNION JOINTURE COMMISSION** will implement immediate remedial measures for any drinking water outlet with a result greater than the action level of 15 µg/l (parts per billion [ppb]). This includes turning off the outlet unless it is determined the location must remain on for non-drinking purposes. In these cases, a "DO NOT DRINK – SAFE FOR HANDWASHING ONLY" sign will be posted.

Results of our Testing

Following instructions given in technical guidance developed by the New Jersey Department of Environmental Protection, we completed a plumbing profile for each of the buildings within **MORRIS-UNION JOINTURE COMMISSION**. Through this effort, we identified and tested all drinking water and food preparation outlets. Of the 192 initial samples taken at **DLC-Warren**, all but one tested below the lead action level established by the US Environmental Protection Agency for lead in drinking water (15 µg/l [ppb]).

The table below identifies the water outlet that tested above the 15 ppb for lead, the actual lead level, and what temporary remedial action **MORRIS-UNION JOINTURE COMMISSION** has taken to reduce the levels of lead at this location. It is important to recognize that this water outlet is not a drinking water outlet, but the point of entry sample.

Sample Location	First Draw Result in µg/l (ppb)	Remedial Action
DLC-Warren Point of Entry ID #: DLCW-POE 12/29/16 Point of Entry	363	Posted as "Do Not Drink-Safe for Handwashing Only"
Flush Sample Results	79.7	

DLC-Warren Point of Entry	490	Posted as "Do Not Drink-Safe for Handwashing Only"
ID #: DLCW-POE 1/14/17		
Point of Entry		
Flush Sample Results	191	

Health Effects of Lead

High levels of lead in drinking water can cause health problems. Lead is most dangerous for pregnant women, infants, and children under 6 years of age. It can cause damage to the brain and kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. Exposure to high levels of lead during pregnancy contributes to low birth weight and developmental delays in infants. In young children, lead exposure can lower IQ levels, affect hearing, reduce attention span, and hurt school performance. At *very* high levels, lead can even cause brain damage. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults.

How Lead Enters our Water

Lead is unusual among drinking water contaminants in that it seldom occurs naturally in water supplies like groundwater, rivers and lakes. Lead enters drinking water primarily as a result of the corrosion, or wearing away, of materials containing lead in the water distribution system and in building plumbing. These materials include lead-based solder used to join copper pipe, brass, and chrome-plated brass faucets. In 1986, Congress banned the use of lead solder containing greater than 0.2% lead, and restricted the lead content of faucets, pipes and other plumbing materials. However, even the lead in plumbing materials meeting these new requirements is subject to corrosion. When water stands in lead pipes or plumbing systems containing lead for several hours or more, the lead may dissolve into the drinking water. This means the first water drawn from the tap in the morning *may* contain fairly high levels of lead.

Lead in Drinking Water

Lead in drinking water, although rarely the sole cause of lead poisoning can significantly increase a person's total lead exposure, particularly the exposure of children under the age of 6. EPA estimates that drinking water can make up 20% or more of a person's total exposure to lead.


For More Information

A copy of the test results is available on our website at www.MUJC.org. For more information about water quality in our schools, please contact, Erik Hammerdahl, Property Services Manager, at 908-464-7625 ext. 5014.

For more information on reducing lead exposure around your home and the health effects of lead, visit EPA's Web site at www.epa.gov/lead, call the National Lead Information Center at 800-424-LEAD, or contact your health care provider.

If you are concerned about lead exposure at this facility or in your home, you may want to ask your health care providers about testing children to determine levels of lead in their blood.

Sincerely,



Janet L. Fike
Superintendent of Schools